

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	concurrent near3 unit near3 conversion @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 19:19
L3	248	(concurrent\$2 or "same" adj3 time) with unit near3 conversion @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 19:19
L4	52	(concurrent\$2 or "same" adj3 time) near3 unit near3 conversion @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 19:19
L5	118	(simultaneous\$3 or concurrent\$2 or "same" adj3 time) near3 unit near3 conversion @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 19:20
L6	28	(metric or standard or pascal or mpa or psi or flow near3 rate) (simultaneous\$3 or concurrent\$2 or "same" adj3 time) near3 unit near2 conversion @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 19:20
L7	1	(metric or standard or pascal or mpa or psi or flow near3 rate) same (simultaneous\$3 or concurrent\$2 or "same" adj3 time) near3 unit near2 conversion @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 19:21
L8	0	(metric or standard or pascal or mpa or psi or flow near3 rate) with (simultaneous\$3 or concurrent\$2 or "same" near3 time) near3 unit near2 conversion @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 19:23
L9	28	(metric or standard or pascal or mpa or psi or flow near3 rate) (simultaneous\$3 or concurrent\$2 or "same" near3 time) near3 unit near2 conversion @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 19:23
L10	110	(metric or standard or pascal or mpa or psi or flow near3 rate) (simultaneous\$3 or concurrent\$2 or "same" near3 time) near3 unit near3 (convert\$3 or conversion) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 19:23
L11	163	(metric or standard or pascal or mpa or psi or flow near3 rate) (simultaneous\$3 or concurrent\$2 or "same" near3 time) near3 (metric or standard or unit or pascal or psig or psi) near3 (convert\$3 or conversion) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 19:24

L12	64	(metric or standard or pascal or mpa or psi or flow near3 rate) (simultaneous\$3 or concurrent\$2 or "same" near3 time) near3 (metric or standard or unit or pascal or psig or psi) near3 (convert\$3 or conversion) @ad<"20031220" @pd>"20001212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 19:25
L13	10002322	p	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 19:25
L14	85	(metric or standard or pascal or mpa or psi or flow near3 rate) (simultaneous\$3 or concurrent\$2 or "same" near3 time) near3 (metric or standard or unit or pascal or psig or psi) near3 (convert\$3 or conversion) @ad<"20031220" @pd>"20001212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 19:25
L15	41	(metric or standard or pascal or mpa or psi or flow near3 rate) (simultaneous\$3 or concurrent\$2 or "same" near3 time) near3 (metric or standard or unit or pascal or psig or psi) near3 (convert\$3 or conversion) @ad<"20031220" @pd>"20001212" flow	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 19:26
L16	5	(metric or standard or pascal or mpa or psi or flow near3 rate) (simultaneous\$3 or concurrent\$2 or "same" near3 time) near3 (metric or standard or unit or pascal or psig or psi) near3 (convert\$3 or conversion) @ad<"20031220" @pd>"20001212" flow near3 rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 19:26
L17	5	(metric or standard or pascal or mpa or psi or flow near3 rate) (simultaneous\$3 or concurrent\$2 or "same" near3 time) near3 (metric or standard or unit or pascal or psig or psi) near3 (convert\$3 or conversion) @ad<"20031220" @pd>"19991212" flow near3 rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 19:26
L18	5	(metric or standard or pascal or mpa or psi or (circulation or flow) near3 rate) (simultaneous\$3 or concurrent\$2 or "same" near3 time) near3 (metric or standard or unit or pascal or psig or psi) near3 (convert \$3 or conversion) @ad<"20031220" @pd>"19991212" (circulation or flow) near3 rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 19:27
L19	2	"20060065761".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 19:35
L20	1371	(email or electronic near mail) near3 search (system or engine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 20:34
L21	43	(email or electronic near mail) near3 search (system or engine) thumbnail catalog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 20:36

L22	1	(email or electronic near mail) near3 search (system or engine) thumbnail with catalog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 20:36
L23	6	(email or electronic near mail) near3 search (system or engine) (thumb near nail or thumbnail with catalog)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 20:37
L24	10	(email or electronic near mail) near3 search (system or engine) (thumb near nail or thumbnail) same (directory or catalogue or catalog)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 20:38
L25	7	(email or electronic near mail) near3 search (system or engine) (thumb near nail or thumbnail) same (directory or catalogue or catalog) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 20:38
L26	1	(email or electronic near mail) near3 search (system or engine) (thumb near nail or thumbnail) same (directory or catalogue or catalog) (delet\$3 or discard\$3) with (unnecessary or unneeded) with information @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 21:39
L27	1	(email or electronic near mail) near3 search (system or engine) (thumb near nail or thumbnail) same (directory or catalogue or catalog) (delet\$3 or discard\$3) with (obsolete or old or useless or superfluous or unnecessary or unneeded) with (info or data or information or content or file) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 21:40
L28	1	(email or electronic near mail) near3 search (system or engine) (thumb near nail or thumbnail) same (directory or catalogue or catalog) (eras\$3 or truncat\$3 or delet\$3 or discard\$3) with (obsolete or old or useless or superfluous or unnecessary or unneeded) with (info or data or information or content or file) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 21:40
L29	1	(email or electronic near mail) near3 search (system or engine) (thumb near nail or thumbnail) same (directory or catalogue or catalog) (wip\$3 or eras\$3 or truncat\$3 or delet\$3 or discard\$3) with (obsolete or old or useless or superfluous or unnecessary or unneeded) with (info or data or information or content or file) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 21:41
L30	1	(email or electronic near mail) near3 search (system or engine) (thumb near nail or thumbnail) same (directory or catalogue or catalog) (wip\$3 or eras\$3 or truncat\$3 or delet\$3 or discard\$3) same (obsolete or old or useless or superfluous or unnecessary or unneeded) same (info or data or information or content or file) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 21:41

L31	2	(email or electronic near mail or e-mail) near3 search (system or engine) (thumb near nail or thumbnail) same (directory or catalogue or catalog) (wip\$3 or eras\$3 or truncat\$3 or delet\$3 or discard\$3) same (obsolete or old or useless or superfluous or unnecessary or unneeded) same (info or data or information or content or file) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 21:41
L32	1	(email or electronic near mail or e-mail) with search with (system or engine) (thumb near nail or thumbnail) same (directory or catalogue or catalog) (wip\$3 or eras\$3 or truncat\$3 or delet\$3 or discard\$3) same (obsolete or old or useless or superfluous or unnecessary or unneeded) same (info or data or information or content or file) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 21:41
L33	1	(email or electronic near mail or e-mail) with search\$3 with (system or engine) (thumb near nail or thumbnail) same (directory or catalogue or catalog) (wip\$3 or eras\$3 or truncat\$3 or delet\$3 or discard\$3) same (obsolete or old or useless or superfluous or unnecessary or unneeded) same (info or data or information or content or file) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 21:41
L34	11	(html) (metric or standard or unit) near3 (convert\$3 or conversion) language near3 translation (graphic or image) with file thumbnail @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 22:26
L35	246	(english or french or japanese or german or chinese or russian or korean or language) near5 (convert\$3 or conversion or localiz\$3 or translat\$3) (gif or jpeg or graphic or image) with file (thumb adj nail or thumbnail) @ad<"20031220" not L34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 22:26
L36	201	translat\$3 (english or french or japanese or german or chinese or russian or korean or language) near5 (convert\$3 or conversion or localiz\$3 or translat\$3) (gif or jpeg or graphic or image) with file (thumb adj nail or thumbnail) @ad<"20031220" not L34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 22:30
L37	101	web near3 page translat\$3 (english or french or japanese or german or chinese or russian or korean or language) near5 (convert\$3 or conversion or localiz\$3 or translat\$3) (gif or jpeg or graphic or image) with file (thumb adj nail or thumbnail) @ad<"20031220" not L34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 22:31
L38	10	(english or french or japanese or german or chinese or russian or korean or language) with web near3 page with (convert\$3 or conversion or localiz\$3 or translat\$3) (gif or jpeg or graphic or image) with file (thumb adj nail or thumbnail) @ad<"20031220" not L34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 22:31

L39	7	(directory or catalog or catalogue) same (english or french or japanese or german or chinese or russian or korean or language) with web near3 page with (convert\$3 or conversion or localiz\$3 or transl\$3) @ad<"20031220" not L34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 22:32
L40	2	language (directory or catalog or catalogue) same (english or french or japanese or german or chinese or russian or korean) with web near3 page with (convert\$3 or conversion or localiz\$3 or transl\$3) @ad<"20031220" not L34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 22:33
L41	20	"7058626".pn. or "20040260429".pn. or "2006006576".pn. or "20020116575".pn. or "20040036733".pn. or "20030102163".pn. or "20030069720".pn. or "7090146".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 23:20
L42	8	"7058626".pn. or "20040260429".pn. or "2006006576".pn. or "20020116575".pn. or "20040036733".pn. or "20030102163".pn. or "20030069720".pn. or "7090146".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/27 23:21
S1	1	10/539673	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 15:54
S2	88	"239"/\$.ccls. database nozzle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:01
S3	3	"239"/\$.ccls. database with nozzle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:01
S4	3	(42/121.ccls. or 42/51.ccls. or 42/61.ccls. or "239"/\$.ccls.) database with (nozzle or muzzle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:03
S5	1	(413/53.ccls. or 89/1.3.ccls. or 42/107.ccls. or 42/121.ccls. or 42/51.ccls. or 42/61.ccls. or "239"/\$.ccls.) database near5 (nozzle or muzzle or spout)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:05
S6	2	("707"/\$.ccls. or 413/53.ccls. or 89/1.3.ccls. or 42/107.ccls. or 42/121.ccls. or 42/51.ccls. or 42/61.ccls. or "239"/\$.ccls.) database near5 (nozzle or muzzle or spout)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:06
S7	2	("705"/\$.ccls. or "707"/\$.ccls. or 413/53.ccls. or 89/1.3.ccls. or 42/107.ccls. or 42/121.ccls. or 42/51.ccls. or 42/61.ccls. or "239"/\$.ccls.) database near5 (nozzle or muzzle or spout)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:07

S8	80	database near5 (nozzle or muzzle or spout)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:07
S9	55	database near3 (nozzle or muzzle or spout)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:07
S10	72	(repository or information near3 retrieval or database) near3 (nozzle or muzzle or spout)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:08
S11	52	(repository or information near3 retrieval or database) near3 (nozzle or muzzle or spout) @adc"20031219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:08
S12	54	(repository or information near3 retrieval or database) near3 (nozzle or muzzle or spout) @adc"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:10
S13	2	S12 not S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:10
S14	36	(repository or information near3 retrieval or database) near3 (nozzle or muzzle or spout) @adc"20031220" not asakawa.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:13
S15	22	(repository or information near3 retrieval or database) near3 (nozzle or muzzle or spout) @pdc"20021220" not asakawa.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:13
S16	0	(repository or information near3 retrieval or database) near3 (nozzle or muzzle or spout) @pdc"20021220" asakawa.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:13
S17	4	(repository or information near3 retrieval or database) near3 (nozzle or muzzle or spout) @pdc"20021220" not asakawa.in. table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:14
S18	6	(repository or information near3 retrieval or database) near5 (nozzle or muzzle or spout) @pdc"20021220" not asakawa.in. table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:16

S19	84	(repository or information near3 retrieval or database) near5 (pipe or nozzle or muzzle or spout) @pd<"20021220" not asakawa.in. table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:26
S20	85	(information near3 search or repository or information near3 retrieval or database) near5 (pipe or nozzle or muzzle or spout) @pd<"20021220" not asakawa.in. table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:27
S21	25	(information near3 search or repository or information near3 retrieval or database) near5 (pipe or nozzle or muzzle or spout) @pd<"20021220" not asakawa.in. (model or part) near3 number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:28
S22	2	(information near3 search or repository or information near3 retrieval or database) near5 (pipe or nozzle or muzzle or spout) same (model or part) near3 number @pd<"20021220" not asakawa.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:29
S23	2	(information near3 search or repository or information near3 retrieval or database) near5 (pipe or nozzle or muzzle or spout) same (sku or model or part) near3 number @pd<"20021220" not asakawa.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:29
S24	3	(information near3 search or repository or information near3 retrieval or database) near5 (pipe or nozzle or muzzle or spout) same (model or part) near3 number @ad<"20031220" not asakawa.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:29
S25	3	(information near3 search or repository or information near3 retrieval or database) near5 (pipe or nozzle or muzzle or spout) same (model or part) near2 (id or number or num or no) @ad<"20031220" not asakawa.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:30
S26	14	(information near3 search or repository or information near3 retrieval or database) near5 (pipe or nozzle or muzzle or spout) same (model or part) near2 (id or number or num or no) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:31
S27	13	(information near3 search or repository or information near3 retrieval or database) near5 (pipe or nozzle or muzzle or spout) with (model or part) near2 (id or number or num or no) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:31
S28	15	(information near3 search or repository or information near3 retrieval or database or catalog or search near3 engine) near5 (pipe or nozzle or muzzle or spout) with (model or part) near2 (id or number or num or no) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:31
S29	21	(information near3 search or repository or information near3 retrieval or database or catalog or search near3 engine) with (pipe or nozzle or muzzle or spout) with (model or part) near2 (id or number or num or no) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:32

S30	10	S29 not asakawa.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:34
S31	22	(search near3 system or information near3 retrieval or database or catalog or search near3 engine) with (pipe or nozzle or muzzle or spout) with (model or part) near2 (id or number or num or no) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:34
S32	27	(search near3 system or information near3 retrieval or database or catalog or search near3 engine) with (outlet or pipe or nozzle or muzzle or spout) with (model or part) near2 (id or number or num or no) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:35
S33	16	S32 not asakawa.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:35
S34	16	S32 not asakawa.in. not hiroyoshi.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:36
S35	64	asakawa.in. near3 hiroyoshi.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:37
S36	20	S32 not S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/19 16:37
S37	0	"20030069720".pn. and mail	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/26 22:31
S38	0	"20030069720".pn. and web	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/26 22:31
S39	2	"20030069720".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/26 22:31
S40	0	"20030069720".pn. html	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/26 22:31

S41	1	"20030069720".pn. flow	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/26 22:31
S42	3	(inlet or input) with (direction or angle) with (selected or select or selecting or selectable or choose or pick) near3 (exhaust or spray or overspray or splatter) near3 (shape or guide or pattern or template or stencil) @ad<"20051220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 10:57
S43	3	(inlet or input) with (direction or angle) with (selected or select or selecting or selectable or choose or pick) near3 (exhaust or spray or overspray or splatter or scatter or pepper or sprinkl\$3 or dust or speckl\$3 or stipll\$3 or diffus\$3 or dispers\$3) near3 (shape or guide or pattern or template or stencil) @ad<"20051220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 10:59
S44	3	(inlet or input or paint) with (direction or angle) with (selected or select or selecting or selectable or choose or pick) near3 (exhaust or spray or overspray or splatter or scatter or pepper or sprinkl\$3 or dust or speckl\$3 or stipll\$3 or diffus\$3 or dispers\$3) near3 (shape or guide or pattern or template or stencil or mask) @ad<"20051220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 11:01
S45	4	(inlet or input or paint) with (direction or angle) with (selected or select or selecting or selectable or choose or pick) near3 (exhaust or spray\$3 or overspray\$3 or splatter\$3 or scatter\$3 or pepper\$3 or sprinkl\$3 or dust\$3 or speckl\$3 or stipll\$3 or diffus\$3 or dispers\$3) near3 (shape or guide or pattern or template or stencil or mask) @ad<"20051220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 11:02
S46	4	(inlet or input or paint) with (direction or angle) with (selected or select or selecting or selectable or chosen or choos\$3 or pick) near3 (vent\$3 or exhaust or spray\$3 or overspray\$3 or splatter\$3 or scatter\$3 or pepper\$3 or sprinkl\$3 or dust\$3 or speckl\$3 or stipll\$3 or diffus\$3 or dispers\$3) near3 (shape or guide or pattern or template or stencil or mask) @ad<"20051220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 14:31
S47	4	(inlet or input or paint) with (radian or direction or angle) with (selected or select or selecting or selectable or chosen or choos\$3 or pick) near3 (vent\$3 or exhaust or spray\$3 or overspray\$3 or splatter\$3 or scatter\$3 or pepper\$3 or sprinkl\$3 or dust\$3 or speckl\$3 or stipll\$3 or diffus\$3 or dispers\$3) near3 (shape or guide or pattern or template or stencil or mask) @ad<"20051220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 14:31

S48	9	(inlet or input or paint) with (radian or direction or angle) same (selected or select or selecting or selectable or chosen or choos\$3 or pick) near3 (vent\$3 or exhaust or spray\$3 or overspray\$3 or splatter\$3 or scatter\$3 or pepper\$3 or sprinkl\$3 or dust \$3 or speckl\$3 or stipll\$3 or diffus\$3 or dispers\$3) near3 (shape or guide or pattern or template or stencil or mask\$3) @ad<"20051220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 14:33
S49	9	(inlet or input or paint) with (radian or direction or angle) same (selected or select or selecting or selectable or chosen or choos\$3 or pick) near3 (vent\$3 or exhaust or spray\$3 or overspray\$3 or splatter\$3 or scatter\$3 or pepper\$3 or sprinkl\$3 or dust \$3 or speckl\$3 or stipll\$3 or diffus\$3 or dispers\$3) near5 (shape or guide or pattern or template or stencil or mask\$3) @ad<"20051220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 14:33
S50	9	(web or online or html) with unit near3 (convert\$3 or conversion) language near3 translation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:06
S51	1	(web or online or html) with unit near3 (convert\$3 or conversion) language near3 translation (graphic or image) with file thumbnail	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:07
S52	31	(web or online or html) with (metric or standard or unit) near3 (convert\$3 or conversion) language near3 translation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:08
S53	15	(web or online or html) (metric or standard or unit) near3 (convert\$3 or conversion) language near3 translation (graphic or image) with file thumbnail	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:09
S54	15	(html) (metric or standard or unit) near3 (convert\$3 or conversion) language near3 translation (graphic or image) with file thumbnail	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:09
S55	11	(html) (metric or standard or unit) near3 (convert\$3 or conversion) language near3 translation (graphic or image) with file thumbnail @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:10
S56	4	(html) (metric or standard or unit) near3 (convert\$3 or conversion) language near3 translation (graphic or image) with file thumbnail @ad<"20031220" not underwood.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:11
S57	4	(html) (metric or standard or unit) near3 (convert\$3 or conversion) language near3 translation (graphic or image) with file (thumb adj nail or thumbnail) @ad<"20031220" not underwood.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:11

S58	7	(html) (metric or standard or unit) near3 (convert\$3 or conversion) language near5 transl\$3 (gif or jpeg or graphic or image) with file (thumb adj nail or thumbnail) @ad<"20031220" not underwood.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:12
S59	10	(html) (metric or standard or unit) near3 (convert\$3 or conversion) language near5 transl\$3 (gif or jpeg or graphic or image) with file (thumb adj nail or thumbnail) @ad<"20031220" not S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:12
S60	3	(html) (metric or standard or unit) near3 (convert\$3 or conversion) language near5 transl\$3 (gif or jpeg or graphic or image) with file (thumb adj nail or thumbnail) @ad<"20031220" not S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:13
S61	3	(html) (metric or standard or unit) near3 (convert\$3 or conversion) language near5 (localiz\$3 or transl\$3) (gif or jpeg or graphic or image) with file (thumb adj nail or thumbnail) @ad<"20031220" not S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:13
S62	4	(html) (metric or standard or unit) near3 (convert\$3 or conversion) (french or japanese or german or chinese or russian or korean or language) near5 (localiz\$3 or transl\$3) (gif or jpeg or graphic or image) with file (thumb adj nail or thumbnail) @ad<"20031220" not S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:14
S63	1	S62 not S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:14
S64	13	(html) (metric or standard or english or force or kilogram or newton or pascal or unit) near3 (convert\$3 or conversion) (english or french or japanese or german or chinese or russian or korean or language) near5 (localiz\$3 or transl\$3) (gif or jpeg or graphic or image) with file (thumb adj nail or thumbnail) @ad<"20031220" not S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:16
S65	9	S64 not S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:16
S66	9	S64 not S59 not S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:17
S67	0	(html) (metric or standard or english) (psi or Mpa or pascal) (flow near3 rate near (minute or hour or second)) near3 (convert \$3 or conversion) @ad<"20031220" not S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:20

S68	0	(radian and degree) (metric or standard or english) (psi or Mpa or pascal) (flow near3 rate near (minute or hour or second)) near3 (convert\$3 or conversion) @ad<"20031220" not S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:20
S69	0	spray with angle (radian and degree) (metric or standard or english) (psi or Mpa or pascal) (flow near3 rate near (minute or hour or second)) near3 (convert\$3 or conversion) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:20
S70	0	spray\$3 angle (radian and degree) (metric or standard or english) (psi or Mpa or pascal) (flow near3 rate near (minute or hour or second)) near3 (convert\$3 or conversion) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:21
S71	0	angle (radian and degree) (metric or standard or english) (psi or Mpa or pascal) (flow near3 rate near (minute or hour or second)) near3 (convert\$3 or conversion) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:22
S72	0	(spray\$3 or dispers\$3 or overspray\$3 or shoot\$3) angle (radian and degree) (metric or standard or english) (psi or Mpa or pascal) (flow near3 rate near (minute or hour or second)) near3 (convert\$3 or conversion) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:22
S73	0	(spray\$3 or dispers\$3 or overspray\$3 or shoot\$3) angle (radian and degree) (metric or standard or english) (psi or Mpa or pascal) (flow near3 rate with (minute or hour or second)) near3 (convert\$3 or conversion) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:23
S74	8	(spray\$3 or dispers\$3 or overspray\$3 or shoot\$3) angle (radian and degree) (metric or standard or english) (psi or Mpa or pascal) (flux or flow near3 rate) (minute or hour or second) near3 (convert\$3 or conversion) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:23
S75	8	(spray\$3 or dispers\$3 or overspray\$3 or shoot\$3) angle (radian and degree) (measurement or metric or standard or english) (psi or Mpa or pascal) (flux or flow near3 rate) (minute or hour or second) near3 (convert\$3 or conversion) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:24
S76	547	(spray\$3 or dispers\$3 or overspray\$3 or shoot\$3) (angle or radian or degree) (measurement or metric or standard or english) (psi or Mpa or pascal) (flux or flow near3 rate) (minute or hour or second) near3 (convert\$3 or conversion) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:25
S77	0	(spray\$3 or dispers\$3 or overspray\$3 or shoot\$3) (angle or radian or degree) (measurement or metric or standard or english) (psi or Mpa or pascal) (flux or flow near3 rate) (minute or hour or second) near3 (convert\$3 or conversion) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/02/27 15:25

S78	4	(spray\$3 or dispers\$3 or overspray\$3 or shoot\$3) with (angle or radian or degree) (measurement or metric or standard or english) (psi or Mpa or pascal) (flux or flow near3 rate) same (minute or hour or second) near3 (convert\$3 or conversion) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:25
S79	26	(spray\$3 or dispers\$3 or overspray\$3 or shoot\$3) with (angle or radian or degree) (measurement or metric or standard or english) with (convert\$3 or conversion) (psi or Mpa or pascal) (flux or flow near3 rate) same (minute or hour or second) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:26
S80	17	(spray\$3 or dispers\$3 or overspray\$3 or shoot\$3) with (angle or radian or degree) (measurement or metric or standard or english) with (convert\$3 or conversion) (psi or Mpa or pascal) (flux or flow near3 rate) with (minute or hour or second) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:26
S81	31	(spray\$3 or dispers\$3 or overspray\$3 or shoot\$3) with (angle or radian or degree) (measurement or metric or standard or english) with (convert\$3 or conversion) (psi or Mpa or pascal) (flux or flow near3 rate) with (sec or hr or min or minute or hour or second) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:27
S82	23	(spray\$3 or dispers\$3 or overspray\$3 or shoot\$3) with (angle or radian or degree) (measurement or metric or standard or english) with (convert\$3 or conversion) (psi or Mpa or pascal) (flux or flow near3 rate) near8 (sec or hr or min or minute or hour or second) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:27
S83	96	(spray\$3 or dispers\$3 or overspray\$3 or shoot\$3) with (angle or radian or degree) (measurement or metric or standard or english) with (convert\$3 or conversion) (pressure or psi or Mpa or pascal) (flux or flow near3 rate) near8 (sec or hr or min or minute or hour or second) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:29
S84	1	(spray\$3 or dispers\$3 or overspray\$3 or shoot\$3) with (angle or radian or degree) (measurement or metric or standard or english) with (convert\$3 or conversion) same (pressure or psi or Mpa or pascal) (measurement or metric or standard or english) with (convert\$3 or conversion) same (flux or flow near3 rate) near8 (sec or hr or min or minute or hour or second) @ad<"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:30

S85	1	(spray\$3 or dispers\$3 or overspray\$3 or shoot\$3) with (angle or radian or degree) (measurement or metric or standard or english) with (convert\$3 or conversion) same (pressure or psi or Mpa or pascal) (measurement or metric or standard or english) with (convert\$3 or conversion) same (flux or flow near\$3 rate) near\$8 (sec or hr or min or minute or hour or second) @adc"20051220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:31
S86	71	(spray\$3 or dispers\$3 or overspray\$3 or shoot\$3) with (angle or radian or degree) (measurement or metric or standard or english) (convert\$3 or conversion) same (pressure or psi or Mpa or pascal) (measurement or metric or standard or english) (convert\$3 or conversion) same (flux or flow near\$3 rate) near\$8 (sec or hr or min or minute or hour or second) @adc"20051220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:32
S87	59	(spray\$3 or dispers\$3 or overspray\$3 or shoot\$3) with (angle or radian or degree) (measurement or metric or standard or english) (convert\$3 or conversion) same (pressure or psi or Mpa or pascal) (measurement or metric or standard or english) (convert\$3 or conversion) same (flux or flow near\$3 rate) near\$8 (sec or hr or min or minute or hour or second) @adc"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:32
S88	20	(provision\$3 or trial) (spray\$3 or dispers\$3 or overspray\$3 or shoot\$3) with (angle or radian or degree) (measurement or metric or standard or english) (convert\$3 or conversion) same (pressure or psi or Mpa or pascal) (measurement or metric or standard or english) (convert\$3 or conversion) same (flux or flow near\$3 rate) near\$8 (sec or hr or min or minute or hour or second) @adc"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:34
S89	45	(design\$ or plan or planned or planning or provision\$3 or trial) (spray\$3 or dispers\$3 or overspray\$3 or shoot\$3) with (angle or radian or degree) (measurement or metric or standard or english) (convert\$3 or conversion) same (pressure or psi or Mpa or pascal) (measurement or metric or standard or english) (convert\$3 or conversion) same (flux or flow near\$3 rate) near\$8 (sec or hr or min or minute or hour or second) @adc"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:42

S90	3	(design\$ or plan or planned or planning or provision\$3 or trial or try\$3) with (spray\$3 or dispers\$3 or overspray\$3 or shoot\$3) with (angle or radian or degree) (measurement or metric or standard or english) (convert\$3 or conversion) same (pressure or psi or Mpa or pascal) (measurement or metric or standard or english) (convert\$3 or conversion) same (flux or flow near\$3 rate) near\$8 (sec or hr or min or minute or hour or second) @adc"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 15:43
S91	1729	(design\$ or plan or planned or planning or provision\$3 or trial or try\$3) with (spray\$3 or dispers\$3 or overspray\$3 or shoot\$3) with (angle or radian or degree) @adc"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 16:06
S92	1331	(angle or radian or degree) (measurement or metric or standard or english) (convert\$3 or conversion) same (pressure or psi or Mpa or pascal) (measurement or metric or standard or english) (convert\$3 or conversion) same (flux or flow near\$3 rate) near\$8 (sec or hr or min or minute or hour or second) @adc"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 16:06
S93	234	(design\$ or plan or planned or planning or provision\$3 or trial or try\$3) near\$3 (spray\$3 or dispers\$3 or overspray\$3 or shoot\$3) near\$3 (angle or radian or degree) @adc"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 16:06
S94	1331	(angle or radian or degree) (measurement or metric or standard or english) (convert\$3 or conversion) same (pressure or psi or Mpa or pascal) (measurement or metric or standard or english) (convert\$3 or conversion) same (flux or flow near\$3 rate) near\$8 (sec or hr or min or minute or hour or second) @adc"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 16:07
S95	196	(angle or radian or degree) (measurement or metric or standard or english) (convert\$3 or conversion) with (pressure or psi or Mpa or pascal) (measurement or metric or standard or english) (convert\$3 or conversion) with (flux or flow near\$3 rate) near\$8 (sec or hr or min or minute or hour or second) @adc"20031220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 16:07
S96	0	html web S95	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 16:08
S97	0	html S95	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/27 16:08

2/27/2008 11:53:35 PM

C:\Documents and Settings\jwong4\My Documents\EAST\Workspaces\usakawa-a3.wsp